PATENT USSN 10/053,758 Docket 002980US; 018/183c

CLAIM AMENDMENTS

- (Previously presented) An isolated monoclonal or recombinant antibody or antigen binding fragment thereof that specifically binds to human telomerase reverse transcriptase (hTRT) protein (SEQ. ID NO:225).
- (Previously presented) An antibody fragment that specifically binds to hTRT protein (SEQ. ID NO:225).
- 3. (Original) The antibody fragment of claim 2, which is an Fab fragment or an F(ab')₂ fragment.
- (Previously presented) The antibody or antigen binding fragment of claim 1, which is a human antibody.
- 5. (Previously presented) The antibody or antigen binding fragment of claim 1, which is a single chain antibody.
- (Previously presented) A composition comprising the antibody or antigen binding fragment of claim 1 and a pharmaceutically acceptable carrier.
- (Previously presented) The antibody or antigen binding fragment of claim 1, having a reporter molecule or label that is covalently or noncovalently bound.
- (Previously presented) The antibody or antigen binding fragment of claim 7, wherein the reporter molecule or label is selected from an enzyme, a fluorescent agent, a chemiluminescent agent, a chromatogenic agent, and a magnetic particle.
- (Withdrawn) (Currently amended) A method of identifying a sample as containing hTRT protein, comprising:
 - a) combining the biological sample with a monoclonal or recombinant antibody or antigen binding fragment thereof that specifically binds hTRT protein (SEQ. ID NO:225), under conditions where the antibody or fragment forms a complex with hTRT protein;
 - b) detecting complex formed as a result of a); and
 - c) identifying the sample as containing hTRT protein (SEQ. ID NO:225) if said antibody: protein complex is detected.
- 10. (Withdrawn) The method of claim 9, which is an enzyme-linked immunosorbant assay method.

٠.

- 11. (Withdrawn) The method of claim 9, which is a radioimmunoassay method.
- 12. (Withdrawn) The method of claim 9, wherein the detecting comprises fluorescent activated cell sorting.
- (Withdrawn) A method of detecting an hTRT polypoptide hTRT protein (SEQ. ID NO;225) or fragment thereof in a biological sample, comprising:
 - a) combining the biological sample with a monoclonal or recombinant antibody or antigen binding fragment thereof according to claim 1, under conditions where an antibody forms a complex with hTRT protein (SEQ. ID NO:225); and
 - b) detecting complex formed between the antibody or antigen binding fragment and the hTRT polypeptide hTRT protein (SEQ. ID NO:225) or a fragment thereof.
- 14. (Withdrawn) The method of claim 13, which is an enzyme-linked immunosorbant assay method.
- 15. (Withdrawn) The method of claim 13, which is a radioimmunoassay method.
- (Withdrawn) The method of claim 13, wherein the detecting comprises fluorescent activated cell sorting.

17 to 22. CANCELLED

- 23. (Currently amended) The antibody or antigen binding fragment of claim 1

 A monoclonal antibody or antigen binding fragment thereof according to claim 1, which specifically binds to a polypeptide consisting of SEQ. ID NO:221, but comprising SEQ. ID NO:62

 NO:225, but with the proviso that it does not bind to a polypeptide consisting of SEQ. ID NO:62

 SEQ. ID NO:67.
- 24. (Withdrawn) A method of detecting an hTRT polypeptide in a biological sample, comprising:
 - a) combining the biological sample with a monoclonal or recombinant antibody or antigen binding fragment thereof according to claim 23, under conditions where an antibody forms a complex with hTRT protein (SEQ. ID NO:225); and
 - b) detecting complex formed between the antibody or antigen binding fragment and the hTRT polypeptide.
- 25. (Currently amended) The antibody or antigen binding fragment of claim 1, which specifically binds to a polypeptide consisting of SEQ. ID NO:62 comprising SEQ. ID NO:67.

ŧ

- 26. (Withdrawn) (Currentty amended) A method of detecting an hTRT polypeptide in a biological sample, comprising:
 - a) combining the biological sample with a monoclonal or recombinant antibody or antigen binding fragment thereof according to claim 25, under conditions where an antibody forms a complex with a polypeptide consisting of SEQ. ID NO:62 comprising SEQ. ID NO:67; and
 - b) detecting complex formed between the antibody or antigen binding fragment and the hTRT polypeptide.
- 27. (New) A monoclonal antibody specific for hTRT (SEQ. ID NO:225), obtainable by immunizing a non-human animal with SEQ. ID NO:225, and then isolating monoclonal antibody that binds SEQ. ID NO:225 from an antibody-producing cell line generated from the immunized animal.
- 28. (New) A monoclonal antibody specific for the hTRT fragment SEQ. ID NO:67, obtainable by immunizing a non-human animal with SEQ. ID NO:67, and then isolating monoclonal antibody that binds SEQ. ID NO:67 from an antibody-producing cell line generated from the immunized animal.
- 29. (New) A monoclonal antibody according to claim 27, with the proviso that is not a monoclonal antibody according to claim 28.